

LED Bulb

หลอด LED รูปร่างกระป๋อง (A-shape)



LED Bulb 3W, 4W
P45



LED Bulb 5W, 6.5W, 8W
A60



LED Bulb 10.5, 13W
A60



LED Bulb Globe
G93

คุณสมบัติ

- เทคโนโลยีที่ช่วยทำให้เกิดความสบายตา
- รูปร่างมาตรฐาน ขั้วเกลียว สามารถเปลี่ยนแทนหลอดไส้ หรือหลอดคอมแพคต์ฟลูออเรสเซนต์ได้ทันที
- ประหยัดไฟฟ้ากว่า 80% เมื่อเทียบกับหลอดไส้
- ให้ค่าความถูกต้องของสี CRI ไม่น้อยกว่า 80

การใช้งาน

- ใช้ในงานทั่วไปเพื่อเปลี่ยนทดแทนหลอดไส้ หรือหลอดคอมแพคต์ฟลูออเรสเซนต์
- ควรใช้โคม หรือบริเวณที่มีการระบายความร้อนที่ดี

Dimension (mm.)

Type	(C) max. (mm.)	(D) max. (mm.)
LED Bulb 3W, 4W	87	45
LED Bulb 5W, 6.5W, 8W	110	60
LED Bulb 10.5W, 13W	110	60
LED Bulb Globe	132	69

ข้อมูลจำเพาะ LED Bulb

สินค้า	ขั้ว	กำลังไฟฟ้า (วัตต์)	ฟลักซ์ (ลูเมน)	ความเข้ม (แคนเดลา)	อุณหภูมิสี (เคลวิน)	CRI ไม่น้อยกว่า	อายุ (ชั่วโมง)	ปรับหรี่แสง	ราคาปลีก (บาท)
LEDBulb 3.5-25W E27 3000K P45	E27	3.5	250	-	3000	80	15000	ไม่ได้	130.00
LEDBulb 3-25W E27 6500K P45	E27	3	250	-	6500	80	15000	ไม่ได้	130.00
LEDBulb 4-40W E27 3000K P45	E27	4	350	-	3000	80	15000	ไม่ได้	140.00
LEDBulb 4-40W E27 6500K P45	E27	4	350	-	6500	80	15000	ไม่ได้	140.00
LEDBulb 5-50W E27 3000K A60	E27	5	470	-	3000	80	15000	ไม่ได้	150.00
LEDBulb 5-50W E27 6500K A60	E27	5	470	-	6500	80	15000	ไม่ได้	150.00
LEDBulb 6.5-60W E27 3000K A60	E27	6.5	600	-	3000	80	15000	ไม่ได้	190.00
LEDBulb 6.5-60W E27 6500K A60	E27	6.5	600	-	6500	80	15000	ไม่ได้	190.00
LEDBulb 8-70W E27 3000K A60	E27	8	806	-	3000	80	15000	ไม่ได้	240.00
LEDBulb 8-70W E27 6500K A60	E27	8	806	-	6500	80	15000	ไม่ได้	240.00
LEDBulb 10.5-85W E27 3000K A60	E27	10.5	1055	-	3000	80	15000	ไม่ได้	270.00
LEDBulb 10.5-85W E27 6500K A60	E27	10.5	1055	-	6500	80	15000	ไม่ได้	270.00
LEDBulb 13-100W E27 3000K A60	E27	13	1400	-	3000	80	15000	ไม่ได้	320.00
LEDBulb 13-100W E27 6500K A60	E27	13	1400	-	6500	80	15000	ไม่ได้	320.00
LEDBulb 11.5-85W E27 2700K A60 D	E27	11.5	1055	-	2700	80	15000	ได้	440.00
LEDGlobe 9.5-70W E27 2700K G93	E27	9.5	806	-	2700	80	15000	ไม่ได้	500.00

ราคาสินค้ารวมภาษีมูลค่าเพิ่ม
ของส่วนสิทธิ์ ในการปรับแก้ไขราคาข้างต้นโดยไม่ต้องแจ้งให้ทราบล่วงหน้า

Bulb G9

Philips MyCare LEDBulb




- *Design highlights*
With form factor designed as a direct retrofit into A60 fixtures. Philips Interlaced Optics deliver:

- Reduced glare with soft lighting*
- No visible flickering
- Eye safety of lamps compliance**
- 15000hr lifetime
- CRI90



Reduced glare
Increased comfort



Light that shows your home's **true colors**



True colors CRI90: Light that shows your home's true colors, Improved quality at same price



* Comparing the bulb surface brightness between Philips LED bulb and CFLi Tornado

** Compliance with IEC62471 photobiological safety of lamps and lamps systems

Bulb G9

Good for Eyes




Human Skin Tone



Space



Object



Bulb G9 Product Specification

12nc	Material description	Cap	Bulb shape	Lamp Wattage (W) Claim	Replaced Wattage (W)	CCT (K)	Beam Angle (Degree)	Lumen (lm)	Life Time (Hours)	CRI	Switch Cycle (times)	Voltage (V)	DIM	Frequency (Hz)	Dimension (Height / total length mm)	Dimensions (Width / diameter mm)
929003007393	LEDBulb 8W E27 6500K 230V 4CT/3 9 TH	E27	A60S	8	68 (68W GLS, 13W CFL)	6500	200	770	15000	90	50000	220-240	No	50/60	110	60
929003007593	LEDBulb 10W E27 3000K 230V 2CT/6 9 TH	E27	A60M	10	83 (83W GLS, 16W CFLi)	3000	200	1020	15000	90	50000	220-240	No	50/60	110	60
929003007993	LEDBulb 10W E27 6500K 230V 2CT/6 9 TH	E27	A60M	10	83 (83W GLS, 16W CFLi)	6500	200	1020	15000	90	50000	220-240	No	50/60	110	60
929003008593	LEDBulb 12W E27 6500K 230V 4CT/3 9 TH	E27	A60M	12	98 (98W GLS, 22W CFLi)	6500	200	1360	15000	90	50000	220-240	No	50/60	110	60
929003005907	LEDBulb 4W E27 4000K 230V 1PF/12 9 APR	E27	A60S	4	45 (45W GLS, 8W CFLi)	4000	200	420	15000	90	50000	220-240	No	50/60	110	60
929003006507	LEDBulb 6W E27 4000K 230V 1PF/12 9 APR	E27	A60S	6	55 (55W GLS, 10W CFLi)	4000	200	580	15000	90	50000	220-240	No	50/60	110	60
929003007107	LEDBulb 8W E27 4000K 230V 1PF/12 9 APR	E27	A60S	8	68 (68W GLS, 13W CFL)	4000	200	770	15000	90	50000	220-240	No	50/60	110	60
929003007707	LEDBulb 10W E27 4000K 230V 1PF/12 9 APR	E27	A60M	10	83 (83W GLS, 16W CFLi)	4000	200	1020	15000	90	50000	220-240	No	50/60	110	60
929003008307	LEDBulb 12W E27 4000K 230V 1PF/12 9 APR	E27	A60M	12	98 (98W GLS, 22W CFLi)	4000	200	1360	15000	90	50000	220-240	No	50/60	110	60
929003005737	LEDBulb 4W E27 3000K 230V 1CT/12 9 APR	E27	A60S	4	45 (45W GLS, 8W CFLi)	3000	200	420	15000	90	50000	220-240	No	50/60	110	60
929003006137	LEDBulb 4W E27 6500K 230V 1CT/12 9 APR	E27	A60S	4	45 (45W GLS, 8W CFLi)	6500	200	420	15000	90	50000	220-240	No	50/60	110	60
929003006337	LEDBulb 6W E27 3000K 230V 1CT/12 9 APR	E27	A60S	6	55 (55W GLS, 10W CFLi)	3000	200	560	15000	90	50000	220-240	No	50/60	110	60
929003006737	LEDBulb 6W E27 6500K 230V 1CT/12 9 APR	E27	A60S	6	55 (55W GLS, 10W CFLi)	6500	200	580	15000	90	50000	220-240	No	50/60	110	60
929003006937	LEDBulb 8W E27 3000K 230V 1CT/12 9 APR	E27	A60S	8	68 (68W GLS, 13W CFL)	3000	200	770	15000	90	50000	220-240	No	50/60	110	60
929003007337	LEDBulb 8W E27 6500K 230V 1CT/12 9 APR	E27	A60S	8	68 (68W GLS, 13W CFL)	6500	200	770	15000	90	50000	220-240	No	50/60	110	60
929003007537	LEDBulb 10W E27 3000K 230V 1CT/12 9 APR	E27	A60M	10	83 (83W GLS, 16W CFLi)	3000	200	1020	15000	90	50000	220-240	No	50/60	110	60
929003007937	LEDBulb 10W E27 6500K 230V 1CT/12 9 APR	E27	A60M	10	83 (83W GLS, 16W CFLi)	6500	200	1020	15000	90	50000	220-240	No	50/60	110	60
929003008137	LEDBulb 12W E27 3000K 230V 1CT/12 9 APR	E27	A60M	12	98 (98W GLS, 22W CFLi)	3000	200	1360	15000	90	50000	220-240	No	50/60	110	60
929003008537	LEDBulb 12W E27 6500K 230V 1CT/12 9 APR	E27	A60M	12	98 (98W GLS, 22W CFLi)	6500	200	1360	15000	90	50000	220-240	No	50/60	110	60

Replace
ment
Bulb G8
to G9

Gen 8	New - Gen 9	
Material description	Material	Material description
LEDBULB 4W E27 3000K 230V 1CT/12 APR	929003005737	LEDBULB 4W E27 3000K 230V 1CT/12 9 APR
LEDBULB 4W E27 6500K 230V 1CT/12 APR	929003006137	LEDBULB 4W E27 6500K 230V 1CT/12 9 APR
LEDBULB 6W E27 3000K 230V 1CT/12 APR	929003006337	LEDBULB 6W E27 3000K 230V 1CT/12 9 APR
LEDBULB 6W E27 6500K 230V 1CT/12 APR	929003006737	LEDBULB 6W E27 6500K 230V 1CT/12 9 APR
LEDBULB 8W E27 3000K 230V 1CT/12 APR	929003006937	LEDBULB 8W E27 3000K 230V 1CT/12 9 APR
LEDBULB 8W E27 6500K 230V 1CT/12 APR	929003007337	LEDBULB 8W E27 6500K 230V 1CT/12 9 APR
LEDBULB 8W E27 6500K 230V 4CT/3 THAI	929003007393	LEDBULB 8W E27 6500K 230V 4CT/3 9 TH
LEDBULB 10W E27 3000K 230V 1CT/12 APR	929003007537	LEDBULB 10W E27 3000K 230V 1CT/12 9 APR
LEDBULB 10W E27 6500K 230V 1CT/12 APR	929003007937	LEDBULB 10W E27 6500K 230V 1CT/12 9 APR
LEDBULB 10W E27 3000K 230V 2CT/6 TH	929003007593	LEDBULB 10W E27 3000K 230V 2CT/6 9 TH
LEDBULB 10W E27 6500K 230V 2CT/6 TH	929003007993	LEDBULB 10W E27 6500K 230V 2CT/6 9 TH
LEDBULB 12W E27 3000K 230V 1CT/12 APR	929003008137	LEDBULB 12W E27 3000K 230V 1CT/12 9 APR
LEDBULB 12W E27 6500K 230V 1CT/12 APR	929003008537	LEDBULB 12W E27 6500K 230V 1CT/12 9 APR
LEDBULB 12W E27 6500K 230V 4CT/3 THAI	929003008593	LEDBULB 12W E27 6500K 230V 4CT/3 9 TH
LEDBULB 10W E27 4000K 230V 1PF/12 RCAAPR	929003007707	LEDBULB 10W E27 4000K 230V 1PF/12 9 APR
LEDBULB 12W E27 4000K 230V 1PF/12 RCAAPR	929003008307	LEDBULB 12W E27 4000K 230V 1PF/12 9 APR
LEDBULB 4W E27 4000K 230V 1PF/12 RCAAPR	929003005907	LEDBULB 4W E27 4000K 230V 1PF/12 9 APR
LEDBULB 6W E27 4000K 230V 1PF/12 RCAAPR	929003006507	LEDBULB 6W E27 4000K 230V 1PF/12 9 APR
LEDBULB 8W E27 4000K 230V 1PF/12 RCAAPR	929003007107	LEDBULB 8W E27 4000K 230V 1PF/12 9 APR